




底座
Base




底座开孔图 Base hole diagram

FS柜活动底座示意（固定同）
FS cabinet base to indicate activity (fixed with)



FS柜活动底座示意（固定同）
Activities indicate the base FS cabinet (fixed with)



机柜宽度mm Cabinet width (mm)	600	600	600	800	800	800	800
机柜深度mm Cabinet depth (mm)	400	500	600	400	500	600	800
100mm高固定底座订货号 100mm high fixing base order No.	SO60104001	SO60105001	SO60106001	SO80104001	SO80105001	SO80106001	SO80108001
200mm高固定底座订货号 200mm high fixing base order No.	SO60204001	SO60205001	SO60206001	SO80204001	SO80205001	SO80206001	SO80208001
机柜宽度mm Cabinet width (mm)	1000	1000	1000	1200	1200	1200	1200
机柜深度mm Cabinet depth (mm)	400	500	600	400	500	600	800
100mm高固定底座订货号 100mm high fixing base order No.	SO10104001	SO10105001	SO10106001	SO12104001	SO12105001	SO12106001	SO12108001
200mm高固定底座订货号 200mm high fixing base order No.	SO10204001	SO10205001	SO10206001	SO12204001	SO12205001	SO12206001	SO12208001
机柜宽度mm Cabinet width (mm)	600	600	600	800	800	800	800
机柜深度mm Cabinet depth (mm)	400	500	600	400	500	600	800
100mm高活动底座订货号 100mm high fixing base order No.	SO60104002	SO60105002	SO60106002	SO80104002	SO80105002	SO80106002	SO80108002
200mm高活动底座订货号 200mm high fixing base order No.	SO60204002	SO60205002	SO60206002	SO80204002	SO80205002	SO80206002	SO80208002
机柜宽度mm Cabinet width (mm)	1000	1000	1000	1200	1200	1200	1200
机柜深度mm Cabinet depth (mm)	400	500	600	400	500	600	800
100mm高活动底座订货号 100mm high fixing base order No.	SO10104002	SO10105002	SO10106002	SO12104002	SO12105002	SO12106002	SO12108002
200mm高活动底座订货号 200mm high fixing base order No.	SO10204002	SO10205002	SO10206002	SO12204002	SO12205002	SO12206002	SO12208002

门楣 Lintel



订货号 Order No.

MM60/BMM60

适用于单台FP/FS柜体，也可配于FP组合并柜使用。表面处理：喷涂RAL7035/RAL7032或不锈钢拉丝。备注：60mm高标准门楣，材料厚度1.5mm，订购时请说明适配柜体宽度。

Suitable for a single FP / FS cabinet can also be equipped to use PS portfolio and cabinet.

Surface treatment: Spray RAL7035 / RAL7032 or brushed stainless steel.

Note: 60mm high standard lintel, material thickness 1.5mm, please describe the adaptation of the cabinet width when ordering.

脚轮 Casters



订货号 Order No.

MY001

快速灵活移动使用，脚轮材质：

高强度尼龙，单只承重50-100公斤

Fast and flexible mobile use, Caster Material:

high strength nylon, 50-100 kg single load-bearing

可调支脚 Adjustable feet



订货号 Order No.

MY002

M12调整角，调整行程：60-120mm

M12 adjustment angle with an adjustment journey of 60-120mm.

承重脚轮 Load-bearing casters



订货号 Order No.

MY003


自带可调整支撑脚，单个承载可达200kg

Comes with adjustable feet, carrying up to 200kg single

新型ME01壁挂件 New ME01 wall mounting parts

订货号 *Order No.*

AE01




ME01墙壁壁挂件 / ME01 wall mounting parts

用于固定ML、MB和ME箱体。
Used for fixed KL, EB and AE box.
供应范围 / Supply range:

包括用于安装在箱体上的安装固定件。
Including the fixing parts on boxes.


材料 / Material	离墙壁的间距 Distance from wall (mm)	每包 Each pack
钢板镀锌, 铬酸钝化 Galvanized steel sheet, chromate passivation	8	4个 pcs



新型ME02壁挂件 New ME02 wall mounting parts

订货号 *Order No.*

AE02



ME02墙壁挂件 / ME02 wall mounting parts

用于固定ML、MB和ME箱体。
Used for fixed ML, MB and ME box.

供应范围/ Supply range:
包括用于安装在箱体上的安装固定件。
Including the fixing parts on boxes.

材料 / Material	离墙壁的距离 Distance from wall	每包 Each pack
钢板镀锌、铬酸钝化 Galvanized steel sheet, chromate passivation	10	4个 / pcs
不锈钢1.4301 Stainless steel 1.4301	10	4个 / pcs

1) 不帶安裝固定件 / Without fixing parts



FP/FS系列防雨顶罩 FP/FS Series rainproof top cover



序号 Item No.	订货号 Order No.	箱体宽度 Cabinet Width	箱体深度 Cabinet Depth
1	YPES600400	600	400
2	YPES800500	800	500
3	YPES600500	600	500
4	YPES800400	800	400
5	YPES100400	1000	400
6	YPES120400	1200	400
7	YPES100500	1000	500
8	YPES100600	1000	600
9	YPES800600	800	600
10	YPES600600	600	600
11	YPES100800	1000	800
12	YPES120600	1200	600
13	YPES120800	1200	800
14	YPES120500	1200	500
15	YPES800800	800	800

ME 系列防雨顶罩 ME series rainproof top cover



序号 Item No.	订货号 Order No.	箱体宽度 Cabinet Width	箱体深度 Cabinet Depth
1	YPAE200120	200	120
2	YPAE200210	200	210
3	YPAE300210	300	210
4	YPAE380210	380	210
5	YPAE400210	400	210
6	YPAE500210	500	210
7	YPAE600210	600	210
8	YPAE600250	600	250
9	YPAE600300	600	300
10	YPAE600350	600	350
11	YPAE100300	1000	300
12	YPAE800300	800	300

ME 门限位器 ME door limiting stopper

订货号 Order No. TX80-2



FP 门限位器 FP door restrictors

订货号 Order No. XWQ-PS



托架式台面 Bracket-style table



序号 Item No.	订货号 Order No.	宽度 Width mm	深度 Depth mm	适用于门宽度 Applicable to door width (mm)	材料 Material	颜色 Color
1	TM600	413	400	600	冷轧钢板 Cold-rolled steel sheet	RAL 7035
2	TM800	613	400	800	冷轧钢板 Cold-rolled steel sheet	RAL 7035

文件袋 Document bag



序号 Item No.	订货号 Order No.	颜色 Color	材料 Material
1	WJD-A420	RAL2000	塑料 Plastics
2	WJD-A405	RAL 7035	冷轧钢板 Cold-rolled steel sheet
3	WJD-A305	RAL 7035	冷轧钢板 Cold-rolled steel sheet

ME 门板走线条
ME door plate lines



序号 Item No.	订货号 Order No.	箱门宽度 Width of box door (mm)	材料 Material	厚度 Thickness (mm)	备注 Remarks
1	MEZXT200	200	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
2	MEZXT300	300	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
3	MEZXT380	380	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
4	MEZXT400	400	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
5	MEZXT500	500	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
6	MEZXT600	600	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
7	MEZXT800	800	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
8	MEZXT1000	1000	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack

FP 门板走线条
FP door plate lines



序号 Item No.	订货号 Order No.	箱门宽度 Width of box door (mm)	材料 Material	厚度 Thickness (mm)	备注 Remarks
1	FPZXT600	600	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
2	FPZXT800	800	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
3	FPZXT1000	1000	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
4	FPZXT1200	1200	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack

FP/FS纵梁
FP/FS longeron



序号 Item No.	订货号 Order No.	柜体深度 Cabinet depth (mm)	材料 Material	厚度 Thickness (mm)	备注 Remarks
1	ZL400	400	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
2	ZL500	500	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
3	ZL600	600	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack
4	ZL800	800	镀锌钢板 Galvanized steel sheet	1.5	2根/包 2 pcs/pack


FP/FS立柱
FP/FS column



序号 Item No.	订货号 Order No.	柜体高度 Height of box door (mm)	材料 Material	厚度 Thickness (mm)	备注 Remarks
1	LZ1600	1600	镀锌钢板 Galvanized steel sheet	2.5	2根/包 2 pcs/pack
2	LZ1800	1800	镀锌钢板 Galvanized steel sheet	2.5	2根/包 2 pcs/pack
3	LZ2000	2000	镀锌钢板 Galvanized steel sheet	2.5	2根/包 2 pcs/pack
4	LZ2200	2200	镀锌钢板 Galvanized steel sheet	2.5	2根/包 2 pcs/pack

FP 并柜件 FP combined cabinet parts

序号 Item No.	订货号 Order No.	备注 Remarks
1	BGJ01	2件/包 / 2 pcs/pack
2	BGJ02	4件/包 / 4 pcs/pack
3	BGJ03	6件/包 / 6 pcs/pack
4	BGJ04	10米/包 / 10 pcs/pack
5	BGJ10	2件/包 / 2 pcs/pack



BGJ01



BGJ02



BGJ03



BGJ04



BGJ10

并柜补板
Combined cabinet collar plate



序号 Item No.	订货号 Order No.	柜体高度 Height of box door (mm)	材料 Material	厚度 Thickness (mm)	备注 Remarks
1	BPE1600	1600	镀锌钢板 Galvanized steel sheet	2.5	1根/包 1 pcs/pack
2	BPE1800	1800	镀锌钢板 Galvanized steel sheet	2.5	1根/包 1 pcs/pack
3	BPE2000	2000	镀锌钢板 Galvanized steel sheet	2.5	1根/包 1 pcs/pack
4	BPE2200	2200	镀锌钢板 Galvanized steel sheet	2.5	1根/包 1 pcs/pack


FP分隔板
FP divider



序号 Item No.	订货号 Order No.	箱体高度 Cabinet High	箱体深度 Cabinet Depth
1	FPB160400	1600	400
2	FPB160500	1600	500
3	FPB180400	1800	400
4	FPB180500	1800	500
5	FPB180600	1800	600
6	FPB200400	2000	400
7	FPB200500	2000	500
8	FPB200600	2000	600
9	FPB200800	2000	800
10	FPB220500	2200	500
11	FPB220600	2200	600
12	FPB220800	2200	800

高密度刷条
High-density brush bar

订货号Order No. ST002



用于扁平部件、电缆盖板和板的个性化安装，用于电缆铺设的开口，可在侧板、后背板、门、顶板以及底板上任意定位，这类开口可用刷条简单插入，只需出于外形美观的考虑进行相应涂覆和装饰工作即可。

适用于FS\FP系列

技术说明：

用于板厚度1.5-2.0mm 刷条长度30-80mm

塑料外套：18mm 可插入的平面：10mm

最大开口高度：根据刷条长度适配 备注：我司提供个性化定制，可与箱柜产品一并订购

For personalizing flat mounting member, and the cover plate of the cable, the opening for the cable laying, can be arbitrarily positioned on the side plate, rear plate, the door, the top plate and a bottom plate, such simple brush bar insertion opening available, only consider the need for appearance of the corresponding coating and decorative work can be.

Applicable to FS \ FP Series

Technical note:

For plate thickness 1.5-2.0mm Brush strip length 30-80mm


Plastic jacket: 18mm Pluggable plane: 10mm

The maximum opening height: According to brush strip length adaptation

Note: We provide customization, the product can be ordered with cabinet

照明系列—标准型

Lighting series-standard type



序号 Item No.	名称 Description	订货号 Order No.	技术参数 Technical Parameter	长度 Length	配置 Configuration
1	标准型照明灯 Standard lighting lamp	KZM01	5W/175V-250V	510mm	灯, 门位开关 Light, door restrictor
2	标准型照明灯 Standard lighting lamp	KZM02	4W/175V-250V	311mm	灯, 门位开关 Light, door restrictor

照明系列—豪华型

Lighting series-luxury type



序号 Item No.	名称 Description	订货号 Order No.	技术参数 Technical Parameter	长度 Length	配置 Configuration
1	豪华型照明灯 Luxury lighting	KZM03	18W/230V/50HZ	685mm	灯 Light
2	豪华型照明灯 Luxury lighting	KZM04	10W/230V/50HZ	425mm	灯 Light
3	门位开关 Door restrictor	KZM05	(1.5mm ²) 二芯连线 (1.5mm ²) 2-core connection	600mm	门位开关 Door restrictor
4	供电接线 Power supply wire	KZM06	(1.5mm ²) 三芯连线 (1.5mm ²) 3-core connection	3000mm	供电接线 Power supply wire